Rapamycin



Orders: 877-616-CELL (2355)

orders@cellsignal.com

877-678-TECH (8324) Support:

info@cellsignal.com cellsignal.com

3 Trask Lane | Danvers | Massachusetts | 01923 | USA

Web:

10 nmol

For Research Use Only. Not for Use in Diagnostic Procedures.

Background

Rapamycin is a bacterial macrolide with antifungal and immunosuppressant activities (1). Rapamycin forms a complex with the immunophilin FKBP12 which then inhibits the activity of FRAP/ mTOR (TOR in yeast) (2,3). Rapamycin treatment of cells leads to the dephosphorylation and inactivation of p70 S6 kinase. Rapamycin also leads to the dephosphorylation of 4E-BP1/PHAS1, thereby promoting its binding to and inactivation of eIF4E (4,5). This activity has been shown to be the basis for Rapamycin's ability to block protein synthesis and to arrest cell cycle progression in the G1-phase (6,7). However, it has been suggested that Rapamycin's inhibition of the G1/S transition may be the consequence of its effect on cyclin D1 mRNA and protein stability (8).

Molecular Formula C₅₁H₇₉NO₁₃

914.17 g/mol **Molecular Weight**

>99% **Purity**

CAS 53123-88-9

Soluble in DMSO at 200mg/ml and EtOH at 50mg/ml. Solubility

Store lyophilized or in solution at -20°C, desiccated. In lyophilized form, the chemical is stable for 24 **Storage**

months. Once in solution, use within 3 months to prevent loss of potency. Aliquot to avoid multiple

freeze/thaw cycles.

Rapamycin is supplied as a lyophilized powder. For a 100 μM stock, resuspend 10 nmol (9.1 μg) in 100 μl **Directions for Use:**

ethanol or DMSO. For experiments with cultured cells, CST recommends pretreating with 10 nM of this

inhibitor for one hour prior to stimulation.

Background

1. Dumont, F. J. et al. (1990) J. Immunol. 144, 251-258. 2. Brown, E. J. et al. (1994) Nature 369, 756-758. References

3. Kunz, J. et al. (1993) Cell 73, 585-596.

4. Jefferies, H. B. et al. (1997) EMBO J. 15, 3693-3704.

5. Beretta, L. et al. (1996) EMBO J. 15, 658-664.

6. Thomas, G. and Hall, M.N. (1997) Curr. Opin. Cell. Biol. 9, 782-787.

7. Dennis, P. B. et al. (1999) Curr. Opin. Genet. & Develop. 9, 49-54.

8. Hashemolhosseini, S. et al. (1998) J. Biol. Chem. 273, 14424-14429.

Cross-Reactivity Key

H: human M: mouse R: rat Hm: hamster Mk: monkey Vir: virus Mi: mink C: chicken Dm: D. melanogaster X: Xenopus Z: zebrafish B: bovine Dg: dog Pg: pig Sc: S. cerevisiae Ce: C. elegans Hr: horse

GP: Guinea Pig Rab: rabbit All: all species expected

Trademarks and **Patents**

Cell Signaling Technology is a trademark of Cell Signaling Technology, Inc.

All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more

information.

Limited Uses

Except as otherwise expressly agreed in a writing signed by a legally authorized representative of CST, the following terms apply to Products provided by CST, its affiliates or its distributors. Any Customer's terms and conditions that are in addition to, or different from, those contained herein, unless separately accepted in writing by a legally authorized representative of CST, are rejected and are of no force or effect.

Products are labeled with For Research Use Only or a similar labeling statement and have not been approved, cleared, or licensed by the FDA or other regulatory foreign or domestic entity, for any purpose. Customer shall not use any Product for any diagnostic or therapeutic purpose, or otherwise in any manner that conflicts with its labeling statement. Products sold or licensed by CST are provided for Customer as the

Rapamycin (#9904) Datasheet Without Images Cell Signaling Technology

end-user and solely for research and development uses. Any use of Product for diagnostic, prophylactic or therapeutic purposes, or any purchase of Product for resale (alone or as a component) or other commercial purpose, requires a separate license from CST. Customer shall (a) not sell, license, loan, donate or otherwise transfer or make available any Product to any third party, whether alone or in combination with other materials, or use the Products to manufacture any commercial products, (b) not copy, modify, reverse engineer, decompile, disassemble or otherwise attempt to discover the underlying structure or technology of the Products, or use the Products for the purpose of developing any products or services that would compete with CST products or services, (c) not alter or remove from the Products any trademarks, trade names, logos, patent or copyright notices or markings, (d) use the Products solely in accordance with CST Product Terms of Sale and any applicable documentation, and (e) comply with any license, terms of service or similar agreement with respect to any third party products or services used by Customer in connection with the Products.